Texas Prior Authorization Program
Clinical Criteria

Drug/Drug Class

CNS Stimulants

Clinical Criteria Information included in this Document

Provigil (Modafinil)

- Drugs requiring prior authorization: the list of drugs requiring prior authorization for this clinical criteria
- Prior authorization criteria logic: a description of how the prior authorization request will be evaluated against the clinical criteria rules
- Logic diagram: a visual depiction of the clinical criteria logic
- Supporting tables: a collection of information associated with the steps within the criteria (diagnosis codes, procedure codes, and therapy codes); provided when applicable
- References: clinical publications and sources relevant to this clinical criteria

Nuvigil (Armodafinil)

- Drugs requiring prior authorization: the list of drugs requiring prior authorization for this clinical criteria
- Prior authorization criteria logic: a description of how the prior authorization request will be evaluated against the clinical criteria rules
- Logic diagram: a visual depiction of the clinical criteria logic
- Supporting tables: a collection of information associated with the steps within the criteria (diagnosis codes, procedure codes, and therapy codes); provided when applicable
- References: clinical publications and sources relevant to this clinical criteria

Sunosi (Solriamfetol)

- Drugs requiring prior authorization: the list of drugs requiring prior authorization for this clinical criteria

Copyright © 2026 Acentra Health

- Prior authorization criteria logic: a description of how the prior authorization request will be evaluated against the clinical criteria rules
- Logic diagram: a visual depiction of the clinical criteria logic
- Supporting tables: a collection of information associated with the steps within the criteria (diagnosis codes, procedure codes, and therapy codes); provided when applicable
- References: clinical publications and sources relevant to this clinical criteria

Wakix (Pitolisant)

- Drugs requiring prior authorization: the list of drugs requiring prior authorization for this clinical criteria
- Prior authorization criteria logic: a description of how the prior authorization request will be evaluated against the clinical criteria rules
- Logic diagram: a visual depiction of the clinical criteria logic
- Supporting tables: a collection of information associated with the steps within the criteria (diagnosis codes, procedure codes, and therapy codes); provided when applicable
- References: clinical publications and sources relevant to this clinical criteria

Note: Click the hyperlink to navigate directly to that section.

Revision Notes

Updated the age check for Wakix to ≥ 6 years of age for patients with cataplexy

Updated references

Copyright © 2026 Acentra Health

PAXPRESS™

Provigil (Modafinil)

Drugs Requiring Prior Authorization

The listed GCNs may not be an indication of Texas Medicaid Formulary coverage. To learn the current formulary coverage, visit txvendordrug.com/searches/formulary-drug-search.

Drugs Requiring Prior Authorization	
Label Name	**GCN**
MODAFINIL 100 MG TABLET	26101
MODAFINIL 200 MG TABLET	26102
PROVIGIL 100 MG TABLET	26101
PROVIGIL 200 MG TABLET	26102

Copyright © 2026 Acentra Health

PAXPRESS™

Provigil (Modafinil)

Clinical Criteria Logic

1. Is the client greater than or equal to (≥) 18 years of age?

   [ ] Yes – Go to #2

   [ ] No – Deny

2. Does the client have a diagnosis of narcolepsy or shift work disorder in past medical and/or pharmacy claims history?

   [ ] Yes – Go to #5

   [ ] No – Go to #3

3. Does the client have a diagnosis of obstructive sleep apnea in past medical and/or pharmacy claims history?

   [ ] Yes – Go to #4

   [ ] No – Deny

4. Does the client have a procedure code for CPAP or BiPAP in past medical and/or pharmacy claims history?

   [ ] Yes – Go to #5

   [ ] No – Deny

5. Does the client have a diagnosis of severe hepatic impairment in the last 365 days?

   [ ] Yes – Go to #6

   [ ] No – Go to #7

6. Is the dose less than or equal to (≤) 100 mg per day?

   [ ] Yes – Approve (365 days)

   [ ] No – Deny

7. Is the dose less than or equal to (≤) 200 mg per day?

   [ ] Yes – Approve (365 days)

   [ ] No – Deny

Copyright © 2026 Acentra Health

PAXPRESS™

Provigil (Modafinil)

Clinical Criteria Logic Diagram



Copyright © 2026 Acentra Health

PAXPRESS™

Provigil (Modafinil)

Clinical Criteria Supporting Tables

Table 2 (diagnosis of narcolepsy or shift work disorder)	
ICD-10 Code	**Description**
F518	OTHER SLEEP DISORDERS NOT DUE TO A SUBSTANCE OR KNOWN PHYSIOLOGICAL CONDITION
G4726	CIRCADIAN RHYTHM SLEEP DISORDER, SHIFT WORK TYPE
G47411	NARCOLEPSY WITH CATAPLEXY
G47419	NARCOLEPSY WITHOUT CATAPLEXY
G47421	NARCOLEPSY IN CONDITIONS CLASSIFIED ELSEWHERE WITH CATAPLEXY
G47429	NARCOLEPSY IN CONDITIONS CLASSIFIED ELSEWHERE WITHOUT CATAPLEXY

Table 3 (diagnosis of obstructive sleep apnea)	
ICD-10 Code	**Description**
G4730	SLEEP APNEA, UNSPECIFIED
G4733	OBSTRUCTIVE SLEEP APNEA (ADULT) (PEDIATRIC)

Table 4 (procedure code for CPAP or BiPAP)	
CPT Code	**Description**
9390	CONTINUOUS POSITIVE AIRWAY PRESSURE (CPAP)
94660	CPAP INITIATION AND MANAGEMENT
95811	SLEEP STAGING WITH INITIATION OF CPAP
E0601	CPAP DEVICE
E0470	CPAP WITH BI-LEVEL FAILURE
E0471	CPAP WITH BI-LEVEL FAILURE

Copyright © 2026 Acentra Health

Table 4 (procedure code for CPAP or BiPAP)	
CPT Code	**Description**
E0472	CPAP WITH BI-LEVEL FAILURE

Table 5 (diagnosis of severe hepatic impairment)	
ICD-10 Code	**Description**
B150	HEPATITIS A WITH HEPATIC COMA
B159	HEPATITIS A WITHOUT HEPATIC COMA
B160	ACUTE HEPATITIS B WITH DELTA-AGENT WITH HEPATIC COMA
B161	ACUTE HEPATITIS B WITH DELTA-AGENT WITHOUT HEPATIC COMA
B162	ACUTE HEPATITIS B WITHOUT DELTA-AGENT WITH HEPATIC COMA
B169	ACUTE HEPATITIS B WITHOUT DELTA-AGENT AND WITHOUT HEPATIC COMA
B170	ACUTE DELTA-(SUPER) INFECTION OF HEPATITIS B CARRIER
B1710	ACUTE HEPATITIS C WITHOUT HEPATIC COMA
B1711	ACUTE HEPATITIS C WITH HEPATIC COMA
B172	ACUTE HEPATITIS E
B178	OTHER SPECIFIED ACUTE VIRAL HEPATITIS
B179	ACUTE VIRAL HEPATITIS, UNSPECIFIED
B180	CHRONIC VIRAL HEPATITIS B WITH DELTA-AGENT
B181	CHRONIC VIRAL HEPATITIS B WITHOUT DELTA-AGENT
B182	CHRONIC VIRAL HEPATITIS C
B188	OTHER CHRONIC VIRAL HEPATITIS
B189	CHRONIC VIRAL HEPATITIS, UNSPECIFIED
B190	UNSPECIFIED VIRAL HEPATITIS WITH HEPATIC COMA
B1910	UNSPECIFIED VIRAL HEPATITIS B WITHOUT HEPATIC COMA
B1911	UNSPECIFIED VIRAL HEPATITIS B WITH HEPATIC COMA

Copyright © 2026 Acentra Health

Table 5 (diagnosis of severe hepatic impairment)	
ICD-10 Code	**Description**
B1920	UNSPECIFIED VIRAL HEPATITIS C WITHOUT HEPATIC COMA
B1921	UNSPECIFIED VIRAL HEPATITIS C WITH HEPATIC COMA
B199	UNSPECIFIED VIRAL HEPATITIS WITHOUT HEPATIC COMA
B251	CYTOMEGALOVIRAL HEPATITIS
K700	ALCOHOLIC FATTY LIVER
K7010	ALCOHOLIC HEPATITIS WITHOUT ASCITES
K7011	ALCOHOLIC HEPATITIS WITH ASCITES
K702	ALCOHOLIC FIBROSIS AND SCLEROSIS OF LIVER
K7030	ALCOHOLIC CIRRHOSIS OF LIVER WITHOUT ASCITES
K7031	ALCOHOLIC CIRRHOSIS OF LIVER WITH ASCITES
K7040	ALCOHOLIC HEPATIC FAILURE WITHOUT COMA
K7041	ALCOHOLIC HEPATIC FAILURE WITH COMA
K709	ALCOHOLIC LIVER DISEASE, UNSPECIFIED
K710	TOXIC LIVER DISEASE WITH CHOLESTASIS
K7110	TOXIC LIVER DISEASE WITH HEPATIC NECROSIS, WITHOUT COMA
K7111	TOXIC LIVER DISEASE WITH HEPATIC NECROSIS, WITH COMA
K712	TOXIC LIVER DISEASE WITH ACUTE HEPATITIS
K713	TOXIC LIVER DISEASE WITH CHRONIC PERSISTENT HEPATITIS
K714	TOXIC LIVER DISEASE WITH CHRONIC LOBULAR HEPATITIS
K7150	TOXIC LIVER DISEASE WITH CHRONIC ACTIVE HEPATITIS WITHOUT ASCITES
K7151	TOXIC LIVER DISEASE WITH CHRONIC ACTIVE HEPATITIS WITH ASCITES
K716	TOXIC LIVER DISEASE WITH HEPATITIS, NOT ELSEWHERE CLASSIFIED
K717	TOXIC LIVER DISEASE WITH FIBROSIS AND CIRRHOSIS OF LIVER
K718	TOXIC LIVER DISEASE WITH OTHER DISORDERS OF LIVER

Copyright © 2026 Acentra Health

Table 5 (diagnosis of severe hepatic impairment)	
ICD-10 Code	**Description**
K719	TOXIC LIVER DISEASE, UNSPECIFIED
K7201	ACUTE AND SUBACUTE HEPATIC FAILURE WITH COMA
K7210	CHRONIC HEPATIC FAILURE WITHOUT COMA
K7211	CHRONIC HEPATIC FAILURE WITH COMA
K7290	HEPATIC FAILURE, UNSPECIFIED WITHOUT COMA
K7291	HEPATIC FAILURE, UNSPECIFIED WITH COMA
K730	CHRONIC PERSISTENT HEPATITIS, NOT ELSEWHERE CLASSIFIED
K731	CHRONIC LOBULAR HEPATITIS, NOT ELSEWHERE CLASSIFIED
K732	CHRONIC ACTIVE HEPATITIS, NOT ELSEWHERE CLASSIFIED
K738	OTHER CHRONIC HEPATITIS, NOT ELSEWHERE CLASSIFIED
K739	CHRONIC HEPATITIS, UNSPECIFIED
K740	HEPATIC FIBROSIS
K741	HEPATIC SCLEROSIS
K742	HEPATIC FIBROSIS WITH HEPATIC SCLEROSIS
K743	PRIMARY BILIARY CIRRHOSIS
K744	SECONDARY BILIARY CIRRHOSIS
K745	BILIARY CIRRHOSIS, UNSPECIFIED
K7460	UNSPECIFIED CIRRHOSIS OF LIVER
K7469	OTHER CIRRHOSIS OF LIVER
K750	ABSCESS OF LIVER
K751	PHLEBITIS OF PORTAL VEIN
K752	NONSPECIFIC REACTIVE HEPATITIS
K753	GRANULOMATOUS HEPATITIS, NOT ELSEWHERE CLASSIFIED
K7581	NONALCOHOLIC STEATOHEPATITIS (NASH)

Copyright © 2026 Acentra Health

Table 5 (diagnosis of severe hepatic impairment)	
ICD-10 Code	**Description**
K7589	OTHER SPECIFIED INFLAMMATORY LIVER DISEASES
K759	INFLAMMATORY LIVER DISEASE, UNSPECIFIED
K760	FATTY (CHANGE OF) LIVER, NOT ELSEWHERE CLASSIFIED
K761	CHRONIC PASSIVE CONGESTION OF LIVER
K763	INFARCTION OF LIVER
K764	PELIOSIS HEPATIS
K765	HEPATIC VENO-OCCLUSIVE DISEASE
K766	PORTAL HYPERTENSION
K767	HEPATORENAL SYNDROME
K7689	OTHER SPECIFIED DISEASES OF LIVER
K769	LIVER DISEASE, UNSPECIFIED
K77	LIVER DISORDERS IN DISEASES CLASSIFIED ELSEWHERE

Copyright © 2026 Acentra Health

PAXPRESS™

Nuvigil (Armodafinil)

Drugs Requiring Prior Authorization

The listed GCNs may not be an indication of Texas Medicaid Formulary coverage. To learn the current formulary coverage, visit txvendordrug.com/searches/formulary-drug-search.

Drugs Requiring Prior Authorization	
Label Name	**GCN**
ARMODAFINIL 50MG TABLET	98591
ARMODAFINIL 150MG TABLET	98590
ARMODAFINIL 200MG TABLET	36082
ARMODAFINIL 250MG TABLET	98592
NUVIGIL 50MG TABLET	98591
NUVIGIL 150MG TABLET	98590
NUVIGIL 200MG TABLET	36082
NUVIGIL 250MG TABLET	98592

Copyright © 2026 Acentra Health

PAXPRESS™

Nuvigil (Armodafinil)

Clinical Criteria Logic

1. Is the client greater than or equal to (≥) 18 years of age?

   [ ] Yes – Go to #2

   [ ] No – Deny

2. Does the client have a diagnosis of shift work disorder in past medical and/or pharmacy claims history?

   [ ] Yes – Go to #3

   [ ] No – Go to #4

3. Is the dose less than or equal to (≤) 150 mg per day?

   [ ] Yes – Approve (365 days)

   [ ] No – Deny

4. Does the client have a diagnosis of narcolepsy in past medical and/or pharmacy claims history?

   [ ] Yes – Go to #7

   [ ] No – Go to #5

5. Does the client have a diagnosis of obstructive sleep apnea in past medical and/or pharmacy claims history?

   [ ] Yes – Go to #6

   [ ] No – Deny

6. Does the client have a procedure code for CPAP or BiPAP in past medical and/or pharmacy claims history?

   [ ] Yes – Go to #7

   [ ] No – Deny

7. Is the dose less than or equal to (≤) 250 mg per day?

   [ ] Yes – Approve (365 days)

   [ ] No – Deny

Copyright © 2026 Acentra Health

PAXPRESS™

Nuvigil (Armodafinil)

Clinical Criteria Logic Diagram



Copyright © 2026 Acentra Health

PAXPRESS™

Nuvigil (Armodafinil)

Clinical Criteria Supporting Tables

Table 2 (diagnosis of shift work disorder)	
ICD-10 Code	**Description**
F518	OTHER SLEEP DISORDERS NOT DUE TO A SUBSTANCE OR KNOWN PHYSIOLOGICAL CONDITION
G4726	CIRCADIAN RHYTHM SLEEP DISORDER, SHIFT WORK TYPE

Table 4 (diagnosis of narcolepsy)	
ICD-10 Code	**Description**
G47411	NARCOLEPSY WITH CATAPLEXY
G47419	NARCOLEPSY WITHOUT CATAPLEXY
G47421	NARCOLEPSY IN CONDITIONS CLASSIFIED ELSEWHERE WITH CATAPLEXY
G474	NARCOLEPSY IN CONDITIONS CLASSIFIED ELSEWHERE WITHOUT CATAPLEXY

Table 5 (diagnosis of obstructive sleep apnea)

For the list of diagnosis codes that pertain to this step, see the Obstructive Sleep Apnea table in the previous “Supporting Tables” section.

Note: Click the hyperlink to navigate directly to the table.

Table 6 (procedure code for CPAP or BiPAP)

For the list of procedure codes that pertain to this step, see the CPAP/BiPAP table in the previous “Supporting Tables” section.

Note: Click the hyperlink to navigate directly to the table.

Copyright © 2026 Acentra Health

PAXPRESS™

Sunosi (Solriamfetol)

Drugs Requiring Prior Authorization

The listed GCNs may not be an indication of Texas Medicaid Formulary coverage. To learn the current formulary coverage, visit txvendordrug.com/searches/formulary-drug-search.

Drugs Requiring Prior Authorization	
Label Name	**GCN**
SUNOSI 150MG TABLET	46127
SUNOSI 75MG TABLET	46126

Copyright © 2026 Acentra Health

PAXPRESS™

Sunosi (Solriamfetol)

Clinical Criteria Logic

1. Is the client greater than or equal to (≥) 18 years of age?

   [ ] Yes – Go to #2

   [ ] No – Deny

2. Does the client have a diagnosis of narcolepsy in past medical and/or pharmacy claims history?

   [ ] Yes – Go to #5

   [ ] No – Go to #3

3. Does the client have a diagnosis of obstructive sleep apnea in past medical and/or pharmacy claims history?

   [ ] Yes – Go to #4

   [ ] No – Deny

4. Does the client have a procedure code for CPAP or BiPAP in past medical and/or pharmacy claims history?

   [ ] Yes – Go to #5

   [ ] No – Deny

5. Will the client have concurrent therapy with a monoamine oxidase (MAO) inhibitor?

   [ ] Yes – Deny

   [ ] No – Go to #6

6. Does the client have a diagnosis of end stage renal disease (ESRD) or dialysis in the last 365 days?

   [ ] Yes – Deny

   [ ] No – Go to #7

7. Is the daily dose less than or equal to (≤) 1 tablet daily?

   [ ] Yes – Approve (365 days)

   [ ] No – Deny

Copyright © 2026 Acentra Health

PAXPRESS™

Sunosi (Solriamfetol)

Clinical Criteria Logic Diagram



Copyright © 2026 Acentra Health

PAXPRESS™

Sunosi (Solriamfetol)

Clinical Criteria Supporting Tables

Table 2 (diagnosis of narcolepsy)

For the list of diagnosis codes that pertain to this step, see the Narcolepsy table in the previous "Supporting Tables" section.

Note: Click the hyperlink to navigate directly to the table.

Table 3 (diagnosis of obstructive sleep apnea)

For the list of diagnosis codes that pertain to this step, see the Obstructive Sleep Apnea table in the previous "Supporting Tables" section.

Note: Click the hyperlink to navigate directly to the table.

Table 4 (procedure code for CPAP or BiPAP)

For the list of procedure codes that pertain to this step, see the CPAP/BiPAP table in the previous "Supporting Tables" section.

Note: Click the hyperlink to navigate directly to the table.

Table 6 (claim for an MAOI)	
GCN	**Label Name**
27081	AZILECT 0.5MG TABLET
24654	AZILECT 1MG TABLET
26614	EMSAM 12MG/24 HOURS PATCH
26612	EMSAM 6MG/24 HOURS PATCH
26613	EMSAM 9MG/24 HOURS PATCH
26870	LINEZOLID 600MG TABLET
26871	LINEZOLID 100 MG/5ML SUSP
26873	LINEZOLID 600MG/300ML IV SOLN

Copyright © 2026 Acentra Health

Table 6 (claim for an MAOI)	
GCN	**Label Name**
16416	MARPLAN 10MG TABLET
16417	NARDIL 15MG TABLET
16418	PARNATE 10MG TABLET
16417	PHENELZINE SULFATE 15MG TABLET
24654	RASAGILINE MESYLATE 1 MG TAB
27081	RASAGILINE MESYLATE 0.5MG TAB
15603	SELEGILINE HCL 5MG CAPSULE
15600	SELEGILINE HCL 5MG TABLET
16418	TRANYLCYPROMINE 10MG TABLET
22783	ZELAPAR 1.25 MG ODT TABLET
26871	ZYVOX 100MG/5ML SUSPENSION
26870	ZYVOX 600MG TABLET
26873	ZYVOX 600MG/300ML IV SOLN

Table 7 (diagnosis of ESRD or dialysis)	
ICD-10 Code	**Description**
Z4901	ENCOUNTER FOR FITTING AND ADJUSTMENT OF EXTRACORPOREAL DIALYSIS CATHETER
Z4902	ENCOUNTER FOR FITTING AND ADJUSTMENT OF PERITONEAL DIALYSIS CATHETER
Z4931	ENCOUNTER FOR ADEQUACY TESTING FOR HEMODIALYSIS
Z4932	ENCOUNTER FOR ADEQUACY TESTING FOR PERITONEAL DIALYSIS
Z992	DEPENDENCE ON RENAL DIALYSIS
N185	CHRONIC KIDNEY DISEASE, STAGE 5
N186	END STAGE RENAL DISEASE

Copyright © 2026 Acentra Health

Table 7 (diagnosis of ESRD or dialysis)	
ICD-10 Code	**Description**
Z4901	ENCOUNTER FOR FITTING AND ADJUSTMENT OF EXTRACORPOREAL DIALYSIS CATHETER
Z4902	ENCOUNTER FOR FITTING AND ADJUSTMENT OF PERITONEAL DIALYSIS CATHETER
Z4931	ENCOUNTER FOR ADEQUACY TESTING FOR HEMODIALYSIS
Z4932	ENCOUNTER FOR ADEQUACY TESTING FOR PERITONEAL DIALYSIS

Copyright © 2026 Acentra Health

PAXPRESS™

Wakix (Pitolisant)

Drugs Requiring Prior Authorization

The listed GCNs may not be an indication of Texas Medicaid Formulary coverage. To learn the current formulary coverage, visit txvendordrug.com/searches/formulary-drug-search.

Drugs Requiring Prior Authorization	
Label Name	**GCN**
WAKIX 17.8 MG TABLET	45949
WAKIX 4.45 MG TABLET	45948

Copyright © 2026 Acentra Health

PAXPRESS™

Wakix (Pitolisant)

Clinical Criteria Logic

1. Is the client greater than or equal to (≥) 6 years of age?

   [ ] Yes – Go to #2

   [ ] No – Deny

2. Does the client have a diagnosis of narcolepsy in past medical and/or pharmacy claims history?

   [ ] Yes – Go to #4

   [ ] No – Go to #3

3. Does the client have a diagnosis of cataplexy in past medical and/or pharmacy claims history?

   [ ] Yes – Go to #4

   [ ] No – Deny

4. Does the client have a diagnosis of end-stage renal disease (ESRD) in the last 365 days?

   [ ] Yes – Deny

   [ ] No – Go to #5

5. Does the client have a diagnosis of severe hepatic impairment (Child-Pugh Class C) in the last 365 days?

   [ ] Yes – Deny

   [ ] No – Go to #6

6. Is the requested dose less than or equal to (≤) 35.6 mg daily?

   [ ] Yes – Approve (365 days)

   [ ] No – Deny

Copyright © 2026 Acentra Health

PAXPRESS™

Wakix (Pitolisant)

Clinical Criteria Logic Diagram



Copyright © 2026 Acentra Health

PAXPRESS™

Wakix (Pitolisant)

Clinical Criteria Supporting Tables

Table 2 (diagnosis of narcolepsy)	
ICD-10 Code	**Description**
G47419	NARCOLEPSY WITHOUT CATAPLEXY
G474	NARCOLEPSY IN CONDITIONS CLASSIFIED ELSEWHERE WITHOUT CATAPLEXY

Table 4 (diagnosis of cataplexy)	
ICD-10 Code	**Description**
G47411	NARCOLEPSY WITH CATAPLEXY
G47421	NARCOLEPSY IN CONDITIONS CLASSIFIED ELSEWHERE WITH CATAPLEXY

Table 5 (diagnosis of ESRD)	
ICD-10 Code	**Description**
N185	CHRONIC KIDNEY DISEASE, STAGE 5
N186	END STAGE RENAL DISEASE

Copyright © 2026 Acentra Health

PAXPRESS™

CNS Stimulants

Clinical Criteria References

1. Clinical Pharmacology [online database]. Tampa, FL: Elsevier/Gold Standard, Inc.; 2026. Available at www.clinicalpharmacology.com. Accessed on January 23, 2026.

2. Micromedex [online database]. Available at www.micromedexsolutions.com. Accessed on January 23, 2026.

3. Provigil Prescribing Information. Parsippany, NJ. Teva Pharmaceuticals. December 2022.

4. Nuvigil Prescribing Information. Parsippany, NJ. Teva Pharmaceuticals. December 2022.

5. Krahn LE, Hershner S, Loeding, LD, et al. Quality Measures for the Care of Patients with Narcolepsy. J Clin Sleep Med 2015;11(3):335-55.

6. Maski K, Trotti LM, Kotagal S, et al. Treatment of central disorders of hypersomnolence: an American Academy of Sleep Medicine clinical practice guideline. J Clin Sleep Med 2021;17(9):1881-1893.

7. Sunosi Prescribing Information. New York, NY. Axsome Therapeutics, Inc. June 2023.

8. Wakix Prescribing Information. Plymouth Meeting, PA. Harmony Biosciences, LLC. February 2026.

9. 2026 ICD-10-CM Diagnosis Codes, Volume 1. 2026. Available at www.ICD10data.com. Accessed on January 23, 2026.

Copyright © 2026 Acentra Health

PAXPRESS™

CNS Stimulants

Publication History

The Publication History records the publication iterations and revisions to this document. Notes for the *most current revision* are also provided in the Revision Notes on the first page of this document.

Publication Date	Notes
01/31/2011	• Initial publication and posting to website
04/13/2012	• Added a new section to specify the drugs requiring prior authorization • In the "Clinical Edit Supporting Tables" section, revised tables to specify the diagnosis codes pertinent to steps 2, 3 and 4 of the logic diagram • In the "Clinical Edit Supporting Tables" section, revised table to specify the procedure codes pertinent to step 5 of the logic diagram
10/26/2012	• Added Modafinil 100mg and 200mg tablets to table of drugs requiring prior authorization
04/03/2015	• Updated to include ICD-10s
10/05/2017	• Annual review by staff • Added dose check for modafinil to logic and diagram, pages 4-5 • Added armodafinil to clinical edit • Added criteria logic and diagram for armodafinil, pages 13-14 • Updated references, page 17
03/29/2019	• Updated to include formulary statement (The listed GCNS may not be an indication of TX Medicaid Formulary coverage. To learn the current formulary coverage, visit TxVendorDrug.com/formulary/formulary-search.) on each 'Drug Requiring PA' table
10/29/2019	• Updated to include Sunosi criteria as approved by the DUR Board
04/15/2021	• Annual review by staff • Updated references
10/20/2022	• Annual review by staff • Added GCN for Linezolid 100 MG/5ML SUSP (26871) to MAOI table • Added criteria for Wakix • Updated references
01/26/2023	• Updated Step 4 to 365 days in the Sunosi criteria diagram

Copyright © 2026 Acentra Health

Publication Date	Notes
	• Changed question 5 and 6 on the Wakix criteria logic – check for ESRD before check for hepatic impairment • Updated Step 4 to 90 days in the Wakix criteria diagram
02/01/2023	• Updated ICD-10 codes for dialysis in Sunosi supporting table 7
10/26/2023	• Corrected 01/26/2023 entry – should be ‘step 5’ rather than ‘step 4’ • Updated Step 5 to 365 days in the Sunosi criteria diagram
10/30/2023	• Annual review by staff • Updated references
06/30/2024	• Annual review by staff • Updated age for narcolepsy treatment with Wakix to 6 years and older • Updated references
02/28/2025	• Annual review by staff • Updated age for Provigil (modafinil) and Nuvigil (armodafinil) to 18 years and older • Updated references
01/23/2026	• Removed Wakix step-therapy check for prior use of modafinil or armodafinil as approved by the DUR Board • Updated Wakix criteria check for “diagnosis of hepatic impairment” to “diagnosis of severe hepatic impairment (Child-Pugh Class C)” as approved by the DUR Board • Removed Wakix criteria check for moderate to severe renal impairment and corresponding max dose check as approved by the DUR Board • Updated Wakix criteria lookback language to say, “in past medical and/or pharmacy claims history?” as approved by the DUR Board • Updated Provigil and Nuvigil criteria lookback for diagnosis of narcolepsy, shift work disorder, and obstructive sleep apnea to say, "in past medical and/or pharmacy claims history?" • Updated Sunosi criteria lookback for diagnosis of narcolepsy and obstructive sleep apnea to say, "in past medical and/or pharmacy claims history?" • Updated Provigil, Nuvigil, and Sunosi criteria lookback for CPAP or BiPAP to say, "in past medical and/or pharmacy claims history?" • Removed Sunosi criteria check for prior modafinil or armodafinil claims to align with Wakix criteria • Updated Sunosi criteria check for MAOI to say "concurrent therapy" • Added ICD-10 code N185 to the Sunosi Diagnosis of ESRD or Dialysis supporting table

Copyright © 2026 Acentra Health

Publication Date	Notes
	• Updated references
03/18/2026	• Updated the age check for Wakix to ≥ 6 years of age for patients with cataplexy • Updated references

 Copyright © 2026 Acentra Health